

HEALTHCARE SOLUTIONS





In the healthcare industry, cleanliness and safety are a top priority. Dirty laundry and linens are an easy way for contaminants to spread. That's why Dexter Laundry offers a full line of laundry equipment you can depend on. Our equipment utilizes state-of-the-art technology to ensure the proper removal of stains and biological contaminants. Plus, with our large-capacity options and management software, you have the power to process large amounts of laundry with the confidence of knowing your laundry is operating at peak efficiency. With clean, safe and efficient laundry handling you can focus on caring for your patients while ensuring they are safe and comfortable.

For over 125 years, Dexter Laundry has been helping people and companies around the world process laundry faster and more efficiently. We stand behind every machine we build because we are passionate about creating the best laundry ownership experience we can. Every Dexter is backed by an industry-leading warranty and lifetime technical support.



FROM OUR CUSTOMERS

"Dexter machines are worth the investment.

They come with a high level of service & expertise."

THE PRODUCTS YOU NEED

MOISTURE DETECTION SYSTEM

Our patented Moisture Detection System with wireless sensing technology takes the guess-work out of drying. Each auto dry cycle automatically stops when the load is dry, increasing throughput and reducing linen wear.

PRODUCTS TO FIT YOUR NEEDS

Choose between our state-of-the-art O-Series control or our standard 6-cycle control with simple, programmable options to fit your laundry needs. Our washers are available with 100G or 200G extract options.



STATES OF THE PROPERTY OF THE

ULTIMATE FLEXIBILITY

CUSTOMIZABLE WASH ACTION

O-Series controls offer 100 programmable cycles with 20 stages and a variety of customizable options for the perfect wash cycles. Industry-specific cycle settings are preset and programming is easy with DexterLive.com.

POWER AND PRECISION

O-Series washers combine the power of extended soak, the flexibility of customizable wash cycles and the precision of a 10-port chemical injection system for the power and precision you need.

PEACE OF MIND

FIRE RESPONSE SYSTEM

O-Series dryers feature our Fire Response System which can sense when a load is unexpectedly increasing in temperature. Water-based Fire Response models are also available.

HEATED WASHERS

For applications where precision is critical, we offer heated washers that can heat to 195°F. O-Series washers also record the temperature to verify that every load is safe.



QUALITY YOU CAN TRUST

PROVEN RELIABILITY

Every washer model is designed to withstand our extreme 1,000 hour test, running at maximum extract with an extreme out-of-balance load.

INDUSTRY-LEADING WARRANTIES

Our industry-leading warranties cover the major components on our washers for 10 years and dryers for 5 years. A 3-year parts warranty covers the rest. Plus, all of our products are backed with lifetime technical support.

WHICH CONTROL IS RIGHT FOR YOU

WASHER CONTROL COMPARISON

| MODEL CONFIGURATIONS | 6-CYCLE | 0-SERIES |
|---|-----------|------------|
| HIGH EXTRACT SPEED | Χ | Χ |
| HEATED WATER OPTION (AVAILABILITY VARIES BY MODEL) | | X |
| CONTROL PROGRAMMING | | |
| PROGRAMMABLE CYCLES | 6 | 100 |
| PROGRAMMABLE STAGES | 8 | 20 |
| CHEMICAL INJECTION PORTS | 4 | 10 |
| SOAK OPTION | | Χ |
| MULTIPLE AGITATION OPTIONS | | Χ |
| DELAYED START | | Χ |
| PROGRAMMABLE SPIN SPEEDS | | Χ |
| DEXTERLIVE PROGRAMMING | | Χ |
| CONTROL DISPLAY | | |
| DISPLAY TYPE | SEGMENTED | FULL COLOR |
| MULTI-LINGUAL | | Χ |
| PRODUCTIVITY REPORTING | | Х |
| TEMPERATURE RECORDING (AVAILABILITY VARIES BY MODEL) | | X |

DRYER CONTROL COMPARISON

| MODEL CONFIGURATIONS | 6-CYCLE | 0-SERIES | | |
|--|-----------|------------|--|--|
| REVERSING TUMBLERS (AVAILABILITY VARIES BY MODEL) | X | х | | |
| MOISTURE DETECTION SYSTEM | | Х | | |
| FIRE RESPONSE SYSTEM | | Χ | | |
| WATER-BASED FIRE RESPONSE SYSTEM | | x | | |
| CONTROL PROGRAMMING | | | | |
| PROGRAMMABLE CYCLES | 6 | 100 | | |
| PROGRAMMABLE STAGES | 2 | 20 | | |
| NO HEAT OPTION | X | X | | |
| PROGRAMMABLE REVERSING DELAY | | x | | |
| DEXTERLIVE PROGRAMMING | | Х | | |
| CONTROL DISPLAY | | | | |
| DISPLAY TYPE | SEGMENTED | FULL COLOR | | |
| MULTI-LINGUAL | | Χ | | |
| PRODUCTIVITY REPORTING | | Χ | | |

LAUNDRY SIZING

ROOM REFERENCE - POUNDS PER BED

| TYPE OF PROPERTY | WITHOUT DIAPERS & PADS | WITH PERSONALS | WITH DIAPERS & PADS* |
|---------------------|------------------------|----------------|----------------------|
| REST HOME | 2.6 LBS | 4.1 LBS | 6.1 LBS |
| REHAB CENTER | 3.3 LBS | 4.8 LBS | 6.8 LBS |
| INTERMEDIATE CARE | 9.0 LBS | 10.5 LBS | 12.5 LBS |
| HIGHLY SKILLED CARE | 14.0 LBS | 15.5 LBS | 17.5 LBS |

^{*} Assumes 35% incontinency, add 2 pounds for each additional 10% incontinency

LOADS PER HOUR

| LOAD TYPE | CALCULATION NUMBER |
|-------------|--------------------|
| LIGHT SOIL | 2 |
| MEDIUM SOIL | 1.5 |
| HEAVY SOIL | 1.2 |

OPERATIONS REFERENCE

Last hour of scheduled labor is typically dedicated to drying and folding. Hours / Day should be for the hours available to wash only.

WASHER SIZING FORMULA

| ITEMS TO | BE | WASHED | | FACILITY INFORMATION | | | | | WASHER CAPACITY | |
|--------------|----|-----------|---|----------------------|---|-------------|---|--------------|-----------------|----------------|
| POUNDS / BED | | # OF BEDS | | DAYS / WEEK | | HOURS / DAY | | LOADS / HOUR | | POUNDS / CYCLE |
| | X | | X | | / | | / | | = | |

DEXTER.COM EMPLOYEE OWNED | MADE IN THE USA | SINCE 1894 1.800.524.2954