



***DEXTER***<sup>®</sup>  
***LAUNDRY***




WC Series Vended Washers  
Schematics 60Hz






# T-300 WC0300XA-12 208-240VAC Wiring Diagram




INFORMATIVE 6102-018-196A  
WIRING DIAGRAM 208-240V-1/3PH-60HZ

P/N 9506-722-001PR  
20 LB COIN, V F DRIVE, 208-240V  
WITH START AND STOP BUTTONS

# T-300 WC0300XA-12 208-240VAC Wiring Schematic



# T-350 WC0350XA-12 208-240VAC Wiring Diagram










# T-400 WC0400XA-12 208-240VAC Wiring Schematic



208-240V-3PH OR 1PH-60HZ

(3 PH ONLY)

COIN PULSE WIDTH MUST BE BETWEEN 50mSec AND 200mSec

SCHEMATIC 208-240V-1/3PH-60HZ

P/N 9506-726-001PR  
30 LB COIN VF DRIVE, 208-240V  
WITH START AND STOP BUTTONS

WATER VALVES  
H2 = HOT SOAP TUB  
C2 = COLD SOFTENER TUB

FOR PROGRAMMING WITH USB DRIVE

ALTERNATE PROGRAM SWITCH (OPTIONAL)

EMERGENCY STOP SWITCH

LEFT COIN OPTD SWITCH


RIGHT COIN OPTD SWITCH

TO CUSTOMER PAYMENT DEVICE

W0400XA-12\_C\_X- X ONLY




# T-450 WC0450XA-12 208-240VAC Wiring Schematic



208-240V-3PH OR 1PH-60HZ




# T-600 WC0600XA-12 208-240VAC Wiring Schematic






# T-650 WC0650XA-12 208-240VAC Wiring Schematic







# T-750 WC0750XA-12 208-240VAC Wiring Schematic





# T-900 WC0900XA-12 208-240VAC Wiring Schematic

